


Wireless Management System



WiFi Equipment Schematic



LOCATION MASTER FILE

Warehouse 001 WAREHOUSE

Location A-874

1.Physical Location CENTER AISLE

2.Environment Code 01 STD WAREHOUSE

3.Type P

4.Size

5.Limit 0

6.Levels 0

7.Bulk Pick P

8.Multiple Products

9.Std Packaging EA

10.Products

Note: Environment and Type cannot be changed if this Location is not empty.

	OnHand	OnHand Volume	% Capacity
		0.000	0.00
		0.000	0.00
		0.000	0.00
		0.000	0.00
		0.000	0.00

11.Length 200

12.Width 50

13.Height 20

Totals 0 0.000 0.00

Total Volume (Cubic Feet) 115.741

ENTER LINE # TO CHANGE,DELETE TO DELETE,0 TO ACCEPT : XXXXXX



Address http://205.245.24.37:8591/



LEESAR.TEST MDS Operator Login

Operator:

Password:

LEESAR TEST HTML.INV.MENU

Logout Back to Menu

Warehouse Manager

- Inventory Inquiry
- Physical Inventory
- PO Receipts
- Replenishment Picking
- Replenishment Put Away
- Picking
- Verification
- Batch Picking

LEESAR.TEST Inventory Inquiry

[Back to Menu](#)

[Logout](#)

Scan

Product#

Description

Vendor

Stk: EA Box: 10 Case: 50

Location	On Hand	In Pick		Whse
CS	BX	EA		Last Rcpt:
Total 001		10	0	001
CS:0	BX:1	EA:0	Adjust	Move
				06/04/08
RA01-01-1		10	0	001
CS:0	BX:1	EA:0	Adjust	Move
				MM/DD/YY

[Box Image](#) [Case Image](#)

LEESAR TEST Physical Inventory Tag Entry

Back to Menu

Logout

Scan Tag# Whse

Item#

Desc Lot#

Location Count Stk UM

	U/M	QTY	COUNT	QTY	STK	QTY	
1.	CS <input type="text"/>	<input type="text"/>	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	Delete Line

	U/M	QTY	COUNT	QTY	STK	QTY	
2.	BX <input type="text"/>	<input type="text"/>	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	Delete Line

OK Cancel Delete

LEESAR TEST Physical Inventory Tag Entry

Back to Menu

Logout

Scan Tag# Whse

Item# [Inquiry](#)

Desc Lot#

Location Count Stk UM

	U/M	QTY	COUNT	QTY	STK	QTY	
1.	CS	<input type="text" value="50"/>	<input type="text" value="1"/>		<input type="text" value="50"/>		Delete Line

	U/M	QTY	COUNT	QTY	STK	QTY	
2.	BX	<input type="text" value="10"/>	<input type="text"/>		<input type="text"/>		Delete Line

OK Cancel Delete

LEESAR TEST Physical Inventory Tag Entry

Back to Menu

Logout



Scan Tag# Whse

Item# [Inquiry](#)

Desc Lot#

Location Count Stk UM

	U/M	QTY	COUNT	QTY	STK	QTY	
1.	CS	<input type="text" value="50"/>	<input type="text" value="1"/>		<input type="text" value="50"/>		Delete Line

	U/M	QTY	COUNT	QTY	STK	QTY	
2.	BX	<input type="text" value="10"/>	<input type="text"/>		<input type="text"/>		Delete Line

OK Cancel Delete


[Back to Menu](#)

[Logout](#)

Receipt Date Receiver Receiving Location

SCAN Receiver

SCAN Location



[Previous](#)

[Next](#)

Back to Menu

Logout

Receipt Date 12/14/07 Receiver 112028 Receiving Location WA01-01-1

SCAN Receiver

SCAN Location

1.KND6818

BE16-03-1

Open

4 0 4 ←

*PAD ALCOHOL MED 2PLY

200/BX

2.KND1180600777

BD15-05-3

Open

2 0

SYRINGE 6CC LUER LOCK TIP

SOFTPACK STERILE 100/BX

Previous

Next

Windows Internet Explorer

?

OK to put Away 4 to BE16-03-1

OK Cancel

[Back to Menu](#)

[Logout](#)

4 put Away in BE16-03-1

Receipt Date Receiver Receiving Location

SCAN Receiver

SCAN Location

1.KND6818

BE16-03-1

Complete

*PAD A_CCHO_MED 2PLY

200/BX

2.KND1180600777

BD15-05-3

Open

SYRINGE 6CC_LUER LOCK TIP

SOFTPACK STERILE 100/BX

[Previous](#)

[Next](#)

Back to Menu

Logout

[Next Transfer](#)

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description

Previous

Next

Open: Picked: Complete: All:

OK Cancel Delete

[Back to Menu](#)

[Logout](#)

[Next Transfer](#)

Transfer ID: ▼

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
1.KIM90621	Open	
	1 021C3707A1	
	CD03-02-3	GOWN.SURG.X-LG.STR.

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
2.TRA87-HS4050	Open	
	BA07-0E-5	
	TB11-01-2	BAG HYPERINFLATION INFANT

Product #	Stat	Trans From
Qty	From Loc	Trans To
3.TRA77-8058	Open	
	3 BA17-04-4	

Back to Menu

Logout

1 picked from 02103707A1

Next Transfer

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
1. TRA87-HS4050	Open	
	BA07-05-5	
	TB11-01-2	BAG HYPERINFLATION INFANT

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
2. TRA77-8058	Open	
3	BA17-04-4	
	TH04-0E-3	MASK ADULT VENTURI

Product #	Stat	Trans From
Qty	From Loc	Trans To
3. MEDMDS80335	Open	

Back to Menu

Logout

1 picked from 02103707A1

Next Transfer

Transfer ID: 016828

Scan Location: BB10-04-2

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
1.TRA87-HS4050	Open	
	BA07-05-5	
	TB11-01-2	BAG HYPERINFLATION INFANT

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
2.TRA77-8058	Open	
	BA17-04-4	
3	TH04-0E-3	MASK ADULT VENTURI

Product #	Stat	Trans From
Qty	From Loc	Trans To
3.MEDMDS80335	Open	

Back to Menu

Logout

Invalid Scan

Next Transfer

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
1. TRA87-HS4050	Open	
	BA07-05-5	
	TB11-01-2	BAG HYPERINFLATION INFANT

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
2. TRA77-8058	Open	
3	BA17-04-4	
	TH04-0E-3	MASK ADULT VENTURI

Product #	Stat	Trans From
Qty	From Loc	Trans To
3. MEDMDS80335	Open	

Back to Menu

Logout

2 picked from BB16-01-1

[Next Transfer](#)

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description

1.TRA77-8058	Cper	
	BA17-04-4	
2	TH04-06-3	MASK ADULT VENTURI

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description
2.SLOKH-40C	Cper	
1	BC06-05-1	
	TB13-03-6	KNEE HIGH STA-CRI REG

Product #	Stat	Trans From
Qty	From Loc	Trans To
3.KIM22103	Cper	

Back to Menu

Logout

[Next Transfer](#)

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description

Previous

Next

Open: Picked: Complete: All:

OK Cancel Delete

Back to Menu

Logout

Transfer ID: 016828

Scan Location:

Product #	Qty	Over	Stat	From Loc	To Loc	Trans From	Trans To	Description
-----------	-----	------	------	----------	--------	------------	----------	-------------

Previous

Next

Open: Picked: Complete: All:

OK

Cancel

Delete

Back to Menu

Logout

140 moved to BB16-04-1

Transfer ID: 016020

Scan Location:

Product #	Stat	Trans From	Qty	From Loc	Trans To	Description
1.HSP0798303	Picked		1			
			1	CA03-02-1		
				CC10-02-1		SOLIV.0.9%.SOD.CHLLC50

Product #	Stat	Trans From	Qty	From Loc	Trans To	Description
2.KIM90621	Picked		1			
			1	02103707A1		
				CD03-02-3		GOWN.SURGX-LG.STR.

Product #	Stat	Trans From	Qty	From Loc	Trans To	Description
3.KIM90621	Picked		0			
				BH16-05-3		

Back to Menu

Logout

Invalid Scan

Transfer ID: 016028

Scan Location:

Product #	Qty	Over	Stat	From Loc	To Loc	Trans From	Trans To	Description
1.HSP0798303			Picked					
	1			CA03-02-1				
				CC10-02-1		SOLIV.0.9%.SOD.CHLLC50		

Product #	Qty	Over	Stat	From Loc	To Loc	Trans From	Trans To	Description
2.KIM90621			Picked					
	1			02103707A1				
				CD03-02-3		GOWN.SURGX-LG.STR.		

Product #	Qty	Over	Stat	From Loc	To Loc	Trans From	Trans To	Description
3.KIM90621			Picked					
				BH1E-05-3				

Back to Menu

Logout

50 moved to TH05-01-1

Transfer ID: 016828

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description

Previous

Next

Open: Picked: Complete: All:

OK Cancel Delete

Back to Menu

Logout

Transfer 016828 closed.

Transfer ID:

Scan Location:

Product #	Stat	Trans From
Qty	From Loc	Trans To
Over	To Loc	Description

Previous

Next

Open: Picked: Complete: All:

OK

Cancel

Delete

Back to Menu

Logout

Customer: Ship Via:

Release#

View All: View Skipped:

Ship To: 01619640001 CARDIOHP - CA 712000

Scan Location: 01619642001 CATHLB HP-CAR 711000

Previous

Next

Cartons:

VERIFY

AUDIT

Back to Menu

Logout

Customer: 711000 Ship Via: HT

Release# 01619642001 View All: View Skipped:

Ship To: CATHLB HP-

Scan Location:

1.HST0798309

AA08-01-1

2 CS

SOL.IV.NAC..9%.1000ML

2.BRC0270-1316-40 

AB05-04-1

3 BX

MEDIA.ISOVUE.370.203ML.

(NO TRANSER DEVICE REQ)

3.LSRCARDCATHB

BE02-01-1

7 EA

TRAY.CARDIAC.CATH-

Product Number

Quantity to be Picked

Stocking Unit of Measure

Item Description

[Back to Menu](#)

[Logout](#)

Customer: 711000 Ship Via: HT

Release# 01619642001 View All: View Skipped:

Ship To: CATHLB HP-

Scan Location:

1.HST0798309

AA08-01-1

2 CS

SOL.IV.NAC.9%.1000ML

2.BRC0270-1316-40 

AB05-04-1

3 BX

MEDIA.ISOVUE.370.200ML

(NO TRANSER DEVICE REQ)

3.LSRCARDCATHB

BE02-01-1

7 EA

TRAY.CARDIAC.CATH.

Back to Menu

Logout

Customer: 711000 Ship Via: HT

Release#: 01619642001 View All: View Skipped:

Ship To: CATHLB HP-

Scan Location:

1.HST0798309

AA08-01-1

2 CS

SOLIVNAC_9%.1000ML

2.BRC0270-1316-40

AB05-04-1

3 BX

MEDIA.ISOVUE.370.203ML

(NO TRANSER DEVICE REQ)

3.LSRCARDCATHE

EE02-01-1

7 EA

TRAY.CARDIAC.CATH-

Windows Internet Explorer

OK to pick Product HST0798309 , qty 2 CS

OK Cancel

Back to Menu

Logout

24 picked from AA08-01-1

Customer: 711000 Ship Via: HT

Release# 01619642001 View All: View Skipped:

Ship To: CATHLB HP-

Scan Location:

1.BRC0270-1316-40

AB05-04-1

3 BX

MEDIA ISOVUE.370.203ML.
(NO TRANSER DEVICE REQ)

2.LSRCARDCATHE

BE02-01-1

7 EA

TRAY.CARDIAC.CATH.

3.BOS04527-01

BE19-04-1

3 EA

KT.ENCORE26.ADV.INFLATIC

Back to Menu

Logout

Customer: 711000 Ship Via: HT

Release#: 01619642001 View All: View Skipped:

Ship To: CATHLB HP-

Scan Location:

1.BRC0270-1316-40 

← Camera Icon

AB05-04-1

3 BX

MEDIA.ISOVUE.370.203ML.

(NO TRANSFER DEVICE REQ)

2.LSRCARDCATHE

BE02-01-1

7 EA

TRAY.CARDIAC.CATH.

3.BOS04527-01

BE19-04-1

3 EA

KT.ENCORE26.ADV.INFLATIC

(SGL)



Back to Menu

Logout

Customer: 712000 Ship Via: HT

Release#: 01619640001 View All: View Skipped:

Ship To: CARDIOHP-

Scan Location:

1.KND30768678

TB04-02-4

2 PK

PAPER,EKG PAGEWRITER

9707

2.KNP30936127

TB16-03-4

45 EA

GEL,ULTRASOUND,STR.2[GR

01-01

Previous


Next

Cartons:

Piece assigned to 1

VERIFY

AUDIT



Manual Override

Back to Menu

Logout

Customer: 712000 Ship Via: HT

Release# 0161964001 View All: View Skipped:

Ship To: CARDIOHP -

Scan Location:

1.KND30768678

TB04-02-4

2 PK 1

PAPER EKG PACEWRITER

9707

Back to Menu

Logout

Customer: 712000 Ship Via: HT

Release# 01619610001 View All: View Skipped:

Ship To: CARDIOHP -

Scan Location:

1.KND30768678

TB04-02-4

2 PK

PAPER EKG PACEWRITER

9707

2 KNP30936127

Windows Internet Explorer

OK to pick Product KND30768678 , qty 1 PK

OK Cancel

Back to Menu

Logout

1 PK picked from TB04-02-4

Customer: 712008 Ship Via: HT

Release# 01619640001 View All: View Skipped:

Ship To: CARDIOHP-

Scan Location:

[1.KNP30936127](#)

TB16-03-4

45 EA

GEL ULTRASOUND STR 2(GR

01-01

Previous Next

Cartons:

Piece assigned to 1

VERIFY

AUDIT

Back to Menu

Logout

1 PK picked from TB04-02-4

Customer: 712000 Ship Via: HT

Release# 01619640001 View All: View Skipped:

Ship To: CARDIOHP-

Scan Location:

1.KNP30936127

TB16-03-4

45 EA

GEL ULTRASOUND STR 2(GR

01-01

Previous Next

Cartons:

Piece assigned to 1

VERIFY AUDIT

Back to Menu

Logout

Customer: WDT043337 Ship Via: SM

Release# 01619831001

View All: View Skipped:

Ship To: RESPIRATOR

Scan Location:

Previous

Next

Cartons: 1

VERIFY

AUDIT

Back to Menu

Logout

Piece Picking has not been completed.



Ship To: Customer: Ship Via:

Release# Scan Location:

Product # Location	Pick UM	Override Inv	Description
-----------------------	------------	-----------------	-------------

Previous Next

Cartons : 0

VERIFY

OK Cancel Delete

Back to Menu Logout

Ship To: Customer: Ship Via:

Release# Scan Location:

Product # Location Pick UM Override Inv Description

Previous Next

Cartons: 0

VERIFY

OK Cancel Delete

Back to Menu

Logout

Ship To: SMH SERVIC Customer: 00310 Ship Via: SM

Release# Scan Location:

Product # Location	Pick UM	Override Inv	Description
1.KND6818		3 <input type="text"/>	PAD ALCOHOL MED 2PLY
CA01-01-1	EX	2	200/EX

Previous

Next

Cartons :

[VERIFY](#)

OK Cancel Delete

Back to Menu

Logout

Ship To: SMH SERVIC Customer: 00310 Ship Via: SM

Release# 01620278001 Scan Location:


Product # Location	Pick UM	Override Inv	Description
1.KND6818		3 3	PAD ALCOHOL MED 2PLY
CA01-01-1	EX		2 200 EX

Previous Next

Cartons: 0

[VERIFY](#)

OK Cancel Delete



Windows Internet Explorer

?

OK to pick Product KND6818 , qty 3 BX

OK Cancel

Back to Menu

Logout

Ship To: SMH SERVIC Customer: 00310 Ship Via: SM

Release# 01620278001 Scan Location:

Product # Location	Pick UM	Override Inv	Description
1.KND6818		3	PAD ALCOHOL MED 2PLY
CA01-01-1	EX	3	200/EX

Previous

Next

Cartons : 0

[VERIFY](#)

OK Cancel Delete

Back to Menu

Logout

Ship To: SMH SERVIC Customer: 00310 Ship Via: SM

Release# 01620278001 Scan Location:

Product # Location	Pick UM	Override Inv	Description
1.KND6818	3		PAD ALCOHOL MED 2PLY
CA01-01-1	EX	3	200/EX

Previous

Next

Cartons: 0

VERIFY

OK Cancel Delete

LEESAR.TEST MDS Wireless Picking Processor

Back to Menu

Logout

Batch# View All View Skipped:

Scan Location:

Product #	Pick	Override	Description	Release
Location	UM			

Previous

Next

AUDIT

OK Cancel Delete

LEESAR.TEST MDS Wireless Picking Processor

Back to Menu

Logout

Batch# View All: View Skipped:

Scan Location:

Product # Location	Pick UM	Override	Description	Release
1.CAR013-0012 BA17-01-2 CARDIAC INTENSIVE	4 TU	<input type="text"/>	LINER.FOAM.PITCHER	01620282001 <input type="checkbox"/>
2.KND6818 BE16-03-1 IMPLANTS	126 CS	<input type="text"/>	PAD ALCOHOL MED 2PLY 200/BX	01619829001 <input type="checkbox"/>

Previous Next

AUDIT

OK Cancel Delete

Back to Menu

Logout

Batch# 5 View All: View Skipped:

Scan Location:

Product # Location	Pick UM	Override	Description	Release
1.CAR013-0012 BA17-01-2 CARDIAC INTENSIVE	4 TU	<input type="text"/>	LINER.FOAM.PETCHER	
2.KND6818 BE16-03-1 IMPLANTS	126 CS	<input type="text" value="125"/>	PAD ALCOH 200/BX	

Windows Internet Explorer

OK to pick Product KND6818 , qty 125 CS

OK Cancel

Previous Next

AUDIT

OK Cancel Delete



Where to Get More Information

- To contact support call 973-777-8050 or fax 973-777-1483.
- To access The Systems House's website: www.tshinc.com.